


OREGON SPECIALTY PYT2 VARIETY TRIAL

2008 ENTRIES

ENTRY NUMBER	SELECTION	DISPOSITION
1	Yukon Gold	
2	All Blue	
3	OR04198-1	Advance
4	OR05020-1	Advance
5	OR05045-1	Advance
6	OR05100-1	Drop
7	OR05108-3	Drop
8	OR05108-4	Drop
9	OR05112-1	Advance
10	POR05PG10-1	Drop
11	POR06PG24-2	Advance
12	POR06PG43-2	Drop
13	POR06PG48-1	Drop
14	POR06PG48-2	Drop
15	POR06PG57-2	Advance
16	POR06PG57-4	Drop




Year: 2008
 Female Parent: Norgleam
 Male Parent: W5279-4
 Skin Color: Yellow
 Flesh Color: Light yellow
 Tuber Shape: Slightly oblong

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	480	451		
Yield No. 1's:	434	382		
+ 10 oz. (cwt):	211	181		
4-10 oz. (cwt):	223	202		
Yield Under 4 oz (cwt):	28	25		
Yield Culls (cwt):	18	43		
Average Tuber Size (oz):	7.4			
Length/Width Ratio:				
Specific Gravity:	1.089	1.090		
Hollow Heart (%):	0	5		
Brown Center (%):	0	0		
Black Spot (%):	10	5		
IBS (%):	0	0		
Vascular Discoloration (%):	0	0		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.5		
Shape Uniformity (1-5):	5.0	4.3		
Eye Depth (1-5):	5.0	4.5		
Greening (1-5):		4.0		
Growth Cracks (1-5):	4.3	4.3		
Scab (1-5):	5.0			
Shatter Bruise (1-5):		4.8		
Knobs (1-5)		5.0		
Remarks:				
Hermiston: SCI=1, FCI=2, VR=3.3/5,				
K. Falls: large, smooth, uniform, 5% bronzing				
Corvallis:				
Malheur:				
Toppenish:				
P. Butte:				

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense);
 VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350



Year: 2008

Female Parent:

Male Parent:

Flower (1=white, 3=purple, 5=blue)

Vine Size (1=small to 5=large):

Maturity (1=early to 5=late):

Skin Color: Medium purple

Flesh Color: Mottled purple center, mottled light purple vascular

Tuber Shape: Oblong

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	621	343	323	478
Yield No. 1's:	406	148	246	390
+ 10 oz. (cwt):	21	2	89	112
4-10 oz. (cwt):	385	146	157	277
Yield Under 4 oz (cwt):	168	177	77	88
Yield Culls (cwt):	48	18	25	16
Average Tuber Size (oz):	4.1			
Length/Width Ratio:				
Specific Gravity:	1.077	1.080		
Hollow Heart (%):	0	0		
Brown Center (%):	0	0		
Black Spot (%):	5	0		
IBS (%):	0	0		
Vascular Discoloration (%):	0	0		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.0		
Shape Uniformity (1-5):	3.0	2.3		
Eye Depth (1-5):	3.0	2.0		
Greening (1-5):		4.8		
Growth Cracks (1-5):	4.5	5.0		
Scab (1-5):	5.0			
Shatter Bruise (1-5):		5.0		
Knobs (1-5)		5.0		

Remarks:

Hermiston: some rus, SCI=3, FCI=4, VR=1.5/3,

K. Falls: lumpy, dark, irregular, 22.5% bronzing


Corvallis:

Malheur:

Toppenish:

P. Butte:

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense); VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350




Year: 2008
 Female Parent: POR02PG4-1
 Male Parent: PA99P2-1
 Skin Color: Dark yellow
 Flesh Color: Dark yellow
 Tuber Shape: Slightly oblong

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	468	306	124	192
Yield No. 1's:	171	98	58	83
+ 10 oz. (cwt):	0	0	0	5
4-10 oz. (cwt):	170	98	58	78
Yield Under 4 oz (cwt):	267	203	66	109
Yield Culls (cwt):	31	5	13	29
Average Tuber Size (oz):	2.8			
Length/Width Ratio:				
Specific Gravity:	1.067	1.072		
Hollow Heart (%):	0	0		
Brown Center (%):	0	0		
Black Spot (%):	0	0		
IBS (%):	5	0		
Vascular Discoloration (%):	0	0		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.0		
Shape Uniformity (1-5):	5.0	4.3		
Eye Depth (1-5):	4.0	3.3		
Greening (1-5):		4.8		
Growth Cracks (1-5):	5.0	5.0		
Scab (1-5):	4.0			
Shatter Bruise (1-5):		5.0		
Knobs (1-5)		5.0		
Remarks:				
Hermiston:	OK(2), SCI=1, FCI=5, VR=2/2.5,			
K. Falls:	100% sprouts, smooth, good color, keep?			
Corvallis:				
Malheur:				
Toppenish:				
P. Butte:	Chip06-Oily OK taste, sprouts early			

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense); VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350




Year: 2008
 Female Parent: AO93487-2R
 Male Parent: POR03PG13-2
 Skin Color: Red
 Flesh Color: White
 Tuber Shape: Round

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	585	485	303	332
Yield No. 1's:	353	290	247	226
+ 10 oz. (cwt):	17	5	67	67
4-10 oz. (cwt):	336	285	180	159
Yield Under 4 oz (cwt):	156	180	56	106
Yield Culls (cwt):	77	15	29	13
Average Tuber Size (oz):	4.0			
Length/Width Ratio:				
Specific Gravity:	1.067	1.066		
Hollow Heart (%):	0	0		
Brown Center (%):	0	0		
Black Spot (%):	25	0		
IBS (%):	0	0		
Vascular Discoloration (%):	0	0		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.0		
Shape Uniformity (1-5):	5.0	4.3		
Eye Depth (1-5):	5.0	4.3		
Greening (1-5):		5.0		
Growth Cracks (1-5):	3.0	5.0		
Scab (1-5):	5.0			
Shatter Bruise (1-5):		4.5		
Knobs (1-5)		5.0		
Remarks:				
Hermiston:	lt. rus, OK, SCI=3, FCI= , VR=3.3/4,			
K. Falls:	smooth, round, nice, keep, 35% bronzing			
Corvallis:				
Malheur:				
Toppenish:				
P. Butte:	Chip07-Slightly oily OK taste, Bake07-moist but bland			

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense); VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350




Year: 2008
 Female Parent: Asterix
 Male Parent: POR02PG26-6

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

Skin Color: White with red lips
 Flesh Color: White
 Tuber Shape: Round

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	751	557	279	497
Yield No. 1's:	278	130	222	327
+ 10 oz. (cwt):	7	0	72	44
4-10 oz. (cwt):	270	130	150	282
Yield Under 4 oz (cwt):	341	417	57	170
Yield Culls (cwt):	132	11	52	32
Average Tuber Size (oz):	3.4			
Length/Width Ratio:				
Specific Gravity:	1.059	1.067		
Hollow Heart (%):	0	0		
Brown Center (%):	0	0		
Black Spot (%):	10	0		
IBS (%):	0	0		
Vascular Discoloration (%):	0	0		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.0		
Shape Uniformity (1-5):	5.0	4.8		
Eye Depth (1-5):	4.0	4.0		
Greening (1-5):		4.8		
Growth Cracks (1-5):	3.5	5.0		
Scab (1-5):	4.5			
Shatter Bruise (1-5):		5.0		
Knobs (1-5)		5.0		
Remarks:				
Hermiston: Keep, GC, SCI=2, FCI= , VR=3.5/3.8,				
K. Falls: round, small, very uniform, keep				
Corvallis:				
Malheur:				
Toppenish:				
P. Butte: Chip07-Oily OK taste, Bake07-moist bland taste				

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense);
 VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350




Year: 2008
 Female Parent: POR02PG10-1
 Male Parent: POR02PG26-5
 Skin Color: White with purple splash
 Flesh Color: Light yellow
 Tuber Shape: Round

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	598	508	317	511
Yield No. 1's:	126	113	164	270
+ 10 oz. (cwt):	4	0	12	26
4-10 oz. (cwt):	122	113	152	244
Yield Under 4 oz (cwt):	221	394	153	242
Yield Culls (cwt):	251	2	12	19
Average Tuber Size (oz):	2.8			
Length/Width Ratio:				
Specific Gravity:	1.073	1.069		
Hollow Heart (%):	0	0		
Brown Center (%):	0	0		
Black Spot (%):	15	0		
IBS (%):	0	0		
Vascular Discoloration (%):	5	15		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.0		
Shape Uniformity (1-5):	5.0	4.3		
Eye Depth (1-5):	4.0	3.3		
Greening (1-5):		4.3		
Growth Cracks (1-5):	1.8	5.0		
Scab (1-5):	4.5			
Shatter Bruise (1-5):		5.0		
Knobs (1-5)		5.0		
Remarks:				
Hermiston:	discard, SCI=2, FCI=1.3, VR=1.5/3,			
K. Falls:	sprouting, blotchy purple, drop, 5% bronzing			
Corvallis:				
Malheur:				
Toppenish:				
P. Butte:	Chip07-Crisp excellent taste, Bake07-fluffy with great aroma & excellent taste			

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense); VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350




Year: 2008
 Female Parent: POR02PG4-1
 Male Parent: POR02PG10-1
 Skin Color: Pale yellow
 Flesh Color: Deep yellow
 Tuber Shape: Round

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	314	373	148	183
Yield No. 1's:	6	72	34	20
+ 10 oz. (cwt):	0	0	0	0
4-10 oz. (cwt):	6	72	34	20
Yield Under 4 oz (cwt):	265	294	114	164
Yield Culls (cwt):	43	7	8	12
Average Tuber Size (oz):	1.8			
Length/Width Ratio:				
Specific Gravity:	1.062	1.062		
Hollow Heart (%):	0	0		
Brown Center (%):	0	0		
Black Spot (%):	0	0		
IBS (%):	0	0		
Vascular Discoloration (%):	0	0		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.0		
Shape Uniformity (1-5):	5.0	4.5		
Eye Depth (1-5):	5.0	4.3		
Greening (1-5):		4.8		
Growth Cracks (1-5):	2.8	5.0		
Scab (1-5):	5.0			
Shatter Bruise (1-5):		5.0		
Knobs (1-5)		4.8		
Remarks:				
Hermiston:	SR, discard, SCI=1, FCI=4.8, VR=1/2,			
K. Falls:	round, reddish hue, uniform, drop			
Corvallis:				
Malheur:				
Toppenish:				
P. Butte:	Chip07-Crisp mildly bitter taste, Bake07-squashlike texture w/ bitter aftertaste			

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense); VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350




Year: 2008
 Female Parent: POR02PG4-1
 Male Parent: POR02PG10-1
 Skin Color: Red orange
 Flesh Color: Deep yellow
 Tuber Shape: Round

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	475		125	125
Yield No. 1's:	8		45	17
+ 10 oz. (cwt):	0		0	0
4-10 oz. (cwt):	8		45	17
Yield Under 4 oz (cwt):	421		80	108
Yield Culls (cwt):	46		17	26
Average Tuber Size (oz):	1.4			
Length/Width Ratio:				
Specific Gravity:	1.073			
Hollow Heart (%):	0			
Brown Center (%):	0			
Black Spot (%):	5			
IBS (%):	0			
Vascular Discoloration (%):	0			
Stem End Discoloration (%)				
Russetting (1-5):				
Shape Uniformity (1-5):	4.5			
Eye Depth (1-5):	3.5			
Greening (1-5):				
Growth Cracks (1-5):	3.5			
Scab (1-5):	5.0			
Shatter Bruise (1-5):				
Knobs (1-5)				
Remarks:				
	Hermiston: att stolons, discard(2), SCI=2, FCI=4.5, VR=1/2,			
	K. Falls: discard/no grade, ugly, trash			
	Corvallis:			
	Malheur:			
	Toppenish:			
	P. Butte: Chip07-A little oily slightly bitter taste. Bake07-firm with mild aftertaste			

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense); VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350



Year: 2008
 Female Parent: POR03PG13-2
 Male Parent: POR02PG26-6
 Skin Color: Yellow
 Flesh Color: Light yellow
 Tuber Shape: Fingerling

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	506	454	321	354
Yield No. 1's:	181	144	168	147
+ 10 oz. (cwt):	0	4	4	5
4-10 oz. (cwt):	181	140	163	141
Yield Under 4 oz (cwt):	270	255	154	207
Yield Culls (cwt):	55	56	42	107
Average Tuber Size (oz):	3.0			
Length/Width Ratio:				
Specific Gravity:	1.059	1.068		
Hollow Heart (%):	0	0		
Brown Center (%):	0	0		
Black Spot (%):	5	0		
IBS (%):	0	0		
Vascular Discoloration (%):	35	0		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.5		
Shape Uniformity (1-5):	5.0	4.0		
Eye Depth (1-5):	4.5	4.0		
Greening (1-5):		5.0		
Growth Cracks (1-5):	5.0	5.0		
Scab (1-5):	4.5			
Shatter Bruise (1-5):		5.0		
Knobs (1-5)		5.0		
Remarks:				
Hermiston:	It rus, SCI=1, FCI=1, VR=1.5/1.5,			
K. Falls:	fingerling, smooth, pty ends, keep?			
Corvallis:				
Malheur:				
Toppenish:				
P. Butte:	Chip07-Oily OK taste, Bake07-nutty aroma mild flavor, PScab resistant			

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense);
 VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350




Year: 2008
 Female Parent: POR02PG7-1
 Male Parent: 91E 22

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

Skin Color: Orange
 Flesh Color: Deep yellow
 Tuber Shape: Round

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	480	262	129	224
Yield No. 1's:	50	6	3	9
+ 10 oz. (cwt):	0	0	0	0
4-10 oz. (cwt):	50	6	3	9
Yield Under 4 oz (cwt):	411	253	126	216
Yield Culls (cwt):	18	3	16	15
Average Tuber Size (oz):	1.7			
Length/Width Ratio:				
Specific Gravity:	1.072	1.071		
Hollow Heart (%):	0	0		
Brown Center (%):	0	0		
Black Spot (%):	0	0		
IBS (%):	10	0		
Vascular Discoloration (%):	0	15		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.5		
Shape Uniformity (1-5):	5.0	4.5		
Eye Depth (1-5):	3.0	2.0		
Greening (1-5):		5.0		
Growth Cracks (1-5):	4.5	5.0		
Scab (1-5):	5.0			
Shatter Bruise (1-5):		5.0		
Knobs (1-5)		4.8		
Remarks:				
Hermiston:	SCI=1, FCI=4.8, VR=1/2.3,			
K. Falls:	sprouting, rose hue, small			
Corvallis:				
Malheur:				
Toppenish:				
P. Butte:	Chip06-Good taste sprouts very early			

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense); VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350



Year: 2008
 Female Parent: POR02PG26-5
 Male Parent: POR03PG14-4

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

Skin Color: Yellow with red eyes
 Flesh Color: Yellow
 Tuber Shape: Fingerling

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	417	331	145	212
Yield No. 1's:	11	23	15	11
+ 10 oz. (cwt):	0	0	0	0
4-10 oz. (cwt):	11	23	15	11
Yield Under 4 oz (cwt):	387	289	129	201
Yield Culls (cwt):	19	18	13	56
Average Tuber Size (oz):	2.1			
Length/Width Ratio:				
Specific Gravity:	1.085	1.080		
Hollow Heart (%):	0	0		
Brown Center (%):	0	0		
Black Spot (%):	0	0		
IBS (%):	0	0		
Vascular Discoloration (%):	0	0		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.0		
Shape Uniformity (1-5):	5.0	3.8		
Eye Depth (1-5):	4.0	4.0		
Greening (1-5):		4.8		
Growth Cracks (1-5):	5.0	5.0		
Scab (1-5):	4.0			
Shatter Bruise (1-5):		5.0		
Knobs (1-5)		5.0		
Remarks:				
Hermiston:	OK, SCI=2.5, FCI=2.3, VR=3/2.3,			
K. Falls:	fingerling w/ pink eye, smooth, keep, 5% bronzing			
Corvallis:				
Malheur:				
Toppenish:				
P. Butte:	Chip07-Crisp OK taste, Bake07-firm texture with excellent aroma and taste			

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense);
 VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350



Year: 2008
 Female Parent: POR03PG46-1
 Male Parent: POR03PG25-2

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

Skin Color: Red with white patches
 Flesh Color: Red with white areas under skin white patches
 Tuber Shape: Oblong

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	616	404	288	432
Yield No. 1's:	158	197	207	305
+ 10 oz. (cwt):	0	10	21	58
4-10 oz. (cwt):	158	187	186	247
Yield Under 4 oz (cwt):	209	83	80	128
Yield Culls (cwt):	249	123	36	24
Average Tuber Size (oz):	3.4			
Length/Width Ratio:				
Specific Gravity:	1.059	1.065		
Hollow Heart (%):	0	0		
Brown Center (%):	0	0		
Black Spot (%):	20	0		
IBS (%):	0	0		
Vascular Discoloration (%):	0	0		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.0		
Shape Uniformity (1-5):	5.0	2.8		
Eye Depth (1-5):	4.0	2.0		
Greening (1-5):		5.0		
Growth Cracks (1-5):	1.0	1.3		
Scab (1-5):	5.0			
Shatter Bruise (1-5):		5.0		
Knobs (1-5)		5.0		

Remarks:

Hermiston: discard(2), SCI=3.3, FCI=5, VR=1/1,

K. Falls: GC, irreg. skin color, drk inside color, parent?, 67.5% bronzing


Corvallis:

Malheur:

Toppenish:

P. Butte: Chip07-Crisp,OK taste, Bake07-Waxy texture non-potato aroma, bitter taste

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense); VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350




Year: 2008
 Female Parent: POR03PG76-1
 Male Parent: POR02PG26-3
 Skin Color: White with light red splash
 Flesh Color: White
 Tuber Shape: Oblong

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	534	500	195	534
Yield No. 1's:	139	236	98	360
+ 10 oz. (cwt):	0	9	17	28
4-10 oz. (cwt):	139	227	80	332
Yield Under 4 oz (cwt):	278	248	97	174
Yield Culls (cwt):	117	15	28	50
Average Tuber Size (oz):	2.5			
Length/Width Ratio:				
Specific Gravity:	1.075	1.081		
Hollow Heart (%):	0	0		
Brown Center (%):	0	0		
Black Spot (%):	5	0		
IBS (%):	0	0		
Vascular Discoloration (%):	0	0		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.0		
Shape Uniformity (1-5):	5.0	3.5		
Eye Depth (1-5):	4.5	4.0		
Greening (1-5):		4.8		
Growth Cracks (1-5):	3.5	5.0		
Scab (1-5):	2.5			
Shatter Bruise (1-5):		4.8		
Knobs (1-5)		4.8		
Remarks:				
Hermiston:	scab, SCI=2.5, FCI=1, VR=3/2,			
K. Falls:	sprouting, pink eyes, smooth, sticky stolons, drop, 10% bronzing			
Corvallis:				
Malheur:				
Toppenish:				
P. Butte:	Bake07-Dry and fluffy, mild aroma and mild taste			

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense);
 VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350




Year: 2008
 Female Parent: POR03PG76-1
 Male Parent: POR02PG26-3

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

Skin Color: White with red splash
 Flesh Color: White
 Tuber Shape: Oblong

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	531	350	294	609
Yield No. 1's:	233	90	173	370
+ 10 oz. (cwt):	0	0	0	25
4-10 oz. (cwt):	233	90	173	346
Yield Under 4 oz (cwt):	270	246	121	239
Yield Culls (cwt):	28	15	30	20
Average Tuber Size (oz):	2.9			
Length/Width Ratio:				
Specific Gravity:	1.073	1.077		
Hollow Heart (%):	0	0		
Brown Center (%):	0	0		
Black Spot (%):	0	0		
IBS (%):	0	0		
Vascular Discoloration (%):	0	0		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.3		
Shape Uniformity (1-5):	5.0	4.5		
Eye Depth (1-5):	4.0	4.0		
Greening (1-5):		4.8		
Growth Cracks (1-5):	5.0	5.0		
Scab (1-5):	3.5			
Shatter Bruise (1-5):		5.0		
Knobs (1-5)		4.5		
Remarks:				
Hermiston:	Keep, GC, SCI=2.5, FCI= , VR=3.5/3.3,			
K. Falls:	smooth, sprouts, pink eyes, 5% bronzing			
Corvallis:				
Malheur:				
Toppenish:				
P. Butte:	Chip07-Crisp good taste, Bake07-fluffy with mild aroma and OK taste			

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense); VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350




Year: 2008
 Female Parent: POR02PG5-1
 Male Parent: A095518-1

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

Skin Color: Medium purple
 Flesh Color: White vascular with mottled purple pith
 Tuber Shape: Slightly oblong

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	620	550	393	445
Yield No. 1's:	387	377	338	351
+ 10 oz. (cwt):	0	17	92	71
4-10 oz. (cwt):	388	359	246	280
Yield Under 4 oz (cwt):	184	128	55	94
Yield Culls (cwt):	49	45	4	9
Average Tuber Size (oz):	3.9			
Length/Width Ratio:				
Specific Gravity:	1.072	1.080		
Hollow Heart (%):	0	0		
Brown Center (%):	0	0		
Black Spot (%):	0	0		
IBS (%):	0	0		
Vascular Discoloration (%):	0	0		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.0		
Shape Uniformity (1-5):	3.5	3.8		
Eye Depth (1-5):	4.0	3.5		
Greening (1-5):		5.0		
Growth Cracks (1-5):	4.5	4.8		
Scab (1-5):	5.0			
Shatter Bruise (1-5):		5.0		
Knobs (1-5)		5.0		
Remarks:				
Hermiston:	pear(2), discard, SCI=2.5, FCI=1.5, VR=1.5/3.3,			
K. Falls:	smooth, nice color, keep, 35% bronzing			
Corvallis:				
Malheur:				
Toppenish:				
P. Butte:	Chip07-Crisp OK taste, Bake07-waxy and sticky, non-potato aroma, mild taste			

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense); VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350



Year: 2008
 Female Parent: POR02PG5-1
 Male Parent: A095518-1

Flower (1=white, 3=purple, 5=blue)
 Vine Size (1=small to 5=large):
 Maturity (1=early to 5=late):

Skin Color: Red purple
 Flesh Color: White vascular with purple patterned pith
 Tuber Shape: Round

	Hermiston	K. Falls	Topp-Early	Topp-Late
Yield Total (cwt):	725	502	588	613
Yield No. 1's:	372	233	532	480
+ 10 oz. (cwt):	16	4	242	109
4-10 oz. (cwt):	356	229	290	371
Yield Under 4 oz (cwt):	228	259	56	133
Yield Culls (cwt):	125	10	3	8
Average Tuber Size (oz):	3.5			
Length/Width Ratio:				
Specific Gravity:	1.079	1.094		
Hollow Heart (%):	0	0		
Brown Center (%):	0	0		
Black Spot (%):	0	0		
IBS (%):	0	0		
Vascular Discoloration (%):	0	0		
Stem End Discoloration (%)		0		
Russetting (1-5):		1.5		
Shape Uniformity (1-5):	5.0	4.3		
Eye Depth (1-5):	4.0	3.3		
Greening (1-5):		4.5		
Growth Cracks (1-5):	4.0	5.0		
Scab (1-5):	2.8			
Shatter Bruise (1-5):		5.0		
Knobs (1-5)		5.0		

Remarks:

Hermiston: discard, SCI=2.5, FCI=2.5, VR=2/4.5,

K. Falls: good skin color, uniform, keep, 55% bronzing

Corvallis:

Malheur:

Toppenish:

P. Butte: Chip07-Crisp bland taste, Bake07-waxy, poor aroma and very bitter taste

Footnotes: SCI=skin color intensity (5=most intense); FCI=flesh color intensity (5=most intense); VR=visual rating grader/crew (5=best); PButte Bake-one hour at 350